

BCI-S-29-BK

Conduit PA12 UL94-V1, RAL 9005, NW29



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



Material	WISKAmid PA12 V1 RW
Temp. range min	-50 °C
Temp. range max	120 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 9005
NW	29
External diameter ED	34,5 mm
Ø inside	28,9 mm
Profile width A	3,4 mm
Width B	3,4 mm
Bending radius R	67 mm
Wall thickness S	0,4 mm
Model	Standard profile
Type	BCI-S-29-BK
Order no. RAL 9005	10109953
Packing unit	25 m
EAN number	4007686105100
Tariff number	39173900
ETIM-Classification	EC001177


12.05.2026

Your Contact:

WISKA India Pvt. Ltd.

Mr. Omkar Ashar · Unit No.247/248,Raheja Tesla Industrial District II , Edison Bldg No.-1A,
Plot No.GEN2/1/C/PART, TTC Industrial Area, MIDC, Juinagar, Navi Mumbai 400705, India

☎ +91-22-4967-1438 · ☎ +91-22-4967-1439 · o.ashar@wiska.in · www.wiska.in




Your Contact:

WISKA India Pvt. Ltd.

Mr. Omkar Ashar · Unit No.247/248,Raheja Tesla Industrial District II , Edison Bldg No.-1A,
Plot No.GEN2/1/C/PART, TTC Industrial Area, MIDC, Juinagar, Navi Mumbai 400705, India

☎ +91-22-4967-1438 · ☎ +91-22-4967-1439 · o.ashar@wiska.in · www.wiska.in



Your Contact:

WISKA India Pvt. Ltd.

Mr. Omkar Ashar · Unit No.247/248, Raheja Tesla Industrial District II , Edison Bldg No.-1A,
Plot No.GEN2/1/C/PART, TTC Industrial Area, MIDC, Juinagar, Navi Mumbai 400705, India

☎ +91-22-4967-1438 · ☎ +91-22-4967-1439 · o.ashar@wiska.in · www.wiska.in