

## VMSKV-B 40-21



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                |                                  |
|--------------------------------|----------------------------------|
| Material cable gland           | Brass lead-free chromium-plat.   |
| Material sealing gasket        | EPDM                             |
| Material earthing insert       | brass lead-free chromium plat.   |
| Temp. range min                | -40 °C                           |
| Temp. range max                | 100 °C                           |
| Protection class               | IP66 / IP68 (5 bar 30 min), IP69 |
| Thread type                    | M                                |
| Ø Connection thread D          | 40                               |
| Lead                           | 1,5                              |
| Length screw-in thread L       | 13 mm                            |
| Ø cable diameter min           | 16 mm                            |
| Ø cable diameter max           | 28 mm                            |
| Ø cable below cable shield max | 21 mm                            |
| Key width SW1                  | 45 mm                            |
| Key width SW2                  | 50 mm                            |
| Collar diameter E1             | 48 mm                            |
| Collar diameter E2             | 53 mm                            |
| Total length TL                | 64,5 mm - 80,5 mm                |
| Type of cable anchorage        | A                                |
| Install. torques fitting       | 20 N m                           |
| Install. torques cap nut       | 20 N m                           |
| Impact category                | 6                                |
| Surface                        | Chromium-plated                  |
| WISKA-Order no.                | 10114097                         |
| Type                           | VMSKV-B 40-21                    |

Your Contact:

WISKA India Pvt. Ltd.

Mr. Omkar Ashar · Unit No.247/248, Raheja Tesla Industrial District II, Edison Bldg No.-1A,  
 Plot No.GEN2/1/C/PART, TTC Industrial Area, MIDC, Juinagar, Navi Mumbai 400705, India

☎ +91-22-4967-1438 · ☎ +91-22-4967-1439 · o.ashar@wiska.in · www.wiska.in

|                        |                        |
|------------------------|------------------------|
| Packing unit           | 5                      |
| Tariff number          | 85369010               |
| EAN number             | 4007686326796          |
| ETIM-Classification    | EC000441               |
| VG Registration number | E71E330/26002          |
| VG Labeling            | VG88846-4-A015-21-B-LF |

26.09.2026

Your Contact:

**WISKA India Pvt. Ltd.**

Mr. Omkar Ashar · Unit No.247/248,Raheja Tesla Industrial District II , Edison Bldg No.-1A,  
Plot No.GEN2/1/C/PART, TTC Industrial Area, MIDC, Juinagar, Navi Mumbai 400705, India

☎ +91-22-4967-1438 · ☎ +91-22-4967-1439 · o.ashar@wiska.in · www.wiska.in



Your Contact:

**WISKA India Pvt. Ltd.**

Mr. Omkar Ashar · Unit No.247/248, Raheja Tesla Industrial District II, Edison Bldg No.-1A,  
Plot No.GEN2/1/C/PART, TTC Industrial Area, MIDC, Juinagar, Navi Mumbai 400705, India

☎ +91-22-4967-1438 · ☎ +91-22-4967-1439 · o.ashar@wiska.in · www.wiska.in

Other technical data on request / subject to change without notice